

Evaluation kit for EiceDRIVER™ 2EDF7275F dual-channel isolated gate driver IC

KIT_DRIVER_2EDF7275F

[Vincent Chi Zhang \(IFAT PMM ACDC AE\)](#)
[Menditti Matrisciano Carmen \(IFAT PMM ACDC AE\)](#)
[Florian Zechner \(IFAT PMM ACDC AE\)](#)



General description

Introduction

This evaluation kit provides a test platform for Infineon's dual-channel isolated gate driver IC EiceDRIVER™ 2EDF7275F in NB-DSO16 package.

The complete driving circuitry is integrated into the board to allow a simple and practical step-by-step discovery of the 2EDF7275F characteristics and to evaluate the influence of the surrounding driving circuitry on the signal delivered to the load. The dual-channel driver is intended to feed two low-side or high-side MOSFETs in TO-220 package, which can be allocated on the board. For this purpose a CoolMOS™ or OptiMOS™ power MOSFET solution from Infineon can be selected.

The evaluation kit requires an external function generator and a DC power supply to provide the input signals and the supply voltages to the 2EDF7275F. As shown in the quick start guide, the easiest and immediate way-to-use the board is with zero-power applied to the MOSFETs. In that operating condition, the 2EDF7275F load is equivalent to a pure RC filter. Testing with different MOSFETs is a suggested option to evaluate and understand the impact of the MOSFETs input capacitance on the driving timing behavior.

Additionally, the possibility to power-up the MOSFETs and then trigger the switch of the devices, is purposely provided through banana connectors. An external circuitry must be properly built in that case to provide the bulk voltage and limit the current. Furthermore, pads for a possible connection to a daughter card are included.

Summary of features:

- › Complete and easy-to-use solution platform integrating Infineon's 2EDF7275F EiceDRIVER™ gate driver IC and CoolMOS™ or OptiMOS™ power MOSFETs
- › Possible to evaluate the influence of the gate load (R_g or C_{gs}) on the driving behavior of the 2EDF7275F
- › Easy to replace and test different power MOSFETs in TO-220 package




Steps for kit assembly

The following components need to be added to the kit:

- > Distance bolts
- > Gate resistors
- > TO-220 sockets
- > TO-220 MOSFETs


Step 1
Distance bolts mounting




Step 4
MOSFETs placement into the socket




Step 2
Gate resistors soldering




Step 5
Heatsink mounting



Step 3
TO-220 socket soldering



Steps 6,7
Select the jumpers configuration



- > For detailed information on how to fully assemble the kit, download the [Quick Start Guide here](#)

Cross reference

Sales_product_name	Gate Driver	Channel	Isolation	Package
KIT_DRIVER_1EDN7511B	1EDN7511B	1	Non-isolated	SOT-23 6pin
KIT_DRIVER_1EDN7512B	1EDN7512B	1	Non-isolated	SOT-23 5pin
KIT_DRIVER_1EDN7512G	1EDN7512G	1	Non-isolated	WSO 6pin
KIT_DRIVER_1EDN7550B	1EDN7550B /1EDN8550B	1	Non-isolated	SOT-23 6pin
KIT_DRIVER_2EDN7524F	2EDN7524F	2	Non-isolated	DSO 8pin
KIT_DRIVER_2EDN7524R	2EDN7524R	2	Non-isolated	TSSOP 8pin
KIT_DRIVER_2EDN7524G	2EDN7524G	2	Non-isolated	WSO 8pin
KIT_DRIVER_2EDF7275F	2EDF7275F	2	Functional isolation	NB-DSO-16 150mil
KIT_DRIVER_2EDS8265H	2EDS8265H	2	Reinforced isolaton	WB-DSO-16 300mil



Technical Material

- > Application Notes
- > Simulation Models
- > Datasheets
- > PCB Design Data

> www.infineon.com/kit-driver-2edf7275f

Evaluation Boards

- > Evaluation Boards
- > Demoboards
- > Reference Designs


> www.infineon.com/evaluationboards

Videos

- > Technical Videos
- > Product Information Videos

> www.infineon.com/mediacenter

Support Online tools and services



1
**Subscribe to
Newsletter**

2
Where to Buy

3
**Tools,
Finders and
Selectors**

4
Support





Part of your life. Part of tomorrow.

