

Please note that Cypress is an Infineon Technologies Company.




The document following this cover page is marked as “Cypress” document as this is the company that originally developed the product. Please note that Infineon will continue to offer the product to new and existing customers as part of the Infineon product portfolio.

Continuity of document content


The fact that Infineon offers the following product as part of the Infineon product portfolio does not lead to any changes to this document. Future revisions will occur when appropriate, and any changes will be set out on the document history page.

Continuity of ordering part numbers

Infineon continues to support existing part numbers. Please continue to use the ordering part numbers listed in the datasheet for ordering.



NOTES:

1.  HATCH AREA IS SOLDERABLE EXPOSED METAL.
2. REFERENCE JEDEC#: MO-220
3. PACKAGE WEIGHT: SEE CYPRESS PACKAGE MATERIAL DECLARATION DATASHEET (PMDD) POSTED ON THE CYPRESS WEB
4. ALL DIMENSIONS ARE IN MILLIMETERS

THIS DRAWING CONTAINS INFORMATION WHICH IS THE PROPRIETARY PROPERTY OF CYPRESS SEMICONDUCTOR CORPORATION. THIS DRAWING IS RECEIVED IN CONFIDENCE AND ITS CONTENTS MAY NOT BE DISCLOSED WITHOUT WRITTEN CONSENT OF CYPRESS SEMICONDUCTOR CORPORATION.

PACKAGE
CODE(S)

LT48C



CYPRESS
Company Confidential




TITLE
PACKAGE OUTLINE, 48L QFN 7X7X1.0 MM LT48C
4.5X4.5 EPAD (SAWN)

SPEC NO.
001-53698

REV
#C

SCALED TO FIT

SHEET 1 OF 2

	1	2	3	4	5	6																					
A	<table><tr><th>REV</th><th>ECN</th><th>Origin of Change</th><th>Description of Change</th></tr><tr><td>**</td><td>2711940</td><td>DPT</td><td>NEW RELEASE</td></tr><tr><td>*A</td><td>2846357</td><td>TZWTMP3</td><td>CHANGE TO STANDARD TEMPLATE</td></tr><tr><td>*B</td><td>3673270</td><td>MLA</td><td>FORMAT REVISION, PER MEMO MLA-770</td></tr><tr><td>*C</td><td>4210857</td><td>KTQAD/ XANC</td><td>SUNSET REVIEW, CHANGED DRAWING TEMPLATE. CHANGED 130 ± 13 mg IN PACKAGE WEIGHT TO SEE CYPRESS PACKAGE MATERIAL DECLARATION DATASHEET (PMDD) POSTED ON THE CYPRESS WEB</td></tr></table>						REV	ECN	Origin of Change	Description of Change	**	2711940	DPT	NEW RELEASE	*A	2846357	TZWTMP3	CHANGE TO STANDARD TEMPLATE	*B	3673270	MLA	FORMAT REVISION, PER MEMO MLA-770	*C	4210857	KTQAD/ XANC	SUNSET REVIEW, CHANGED DRAWING TEMPLATE. CHANGED 130 ± 13 mg IN PACKAGE WEIGHT TO SEE CYPRESS PACKAGE MATERIAL DECLARATION DATASHEET (PMDD) POSTED ON THE CYPRESS WEB	A
REV	ECN	Origin of Change	Description of Change																								
**	2711940	DPT	NEW RELEASE																								
*A	2846357	TZWTMP3	CHANGE TO STANDARD TEMPLATE																								
*B	3673270	MLA	FORMAT REVISION, PER MEMO MLA-770																								
*C	4210857	KTQAD/ XANC	SUNSET REVIEW, CHANGED DRAWING TEMPLATE. CHANGED 130 ± 13 mg IN PACKAGE WEIGHT TO SEE CYPRESS PACKAGE MATERIAL DECLARATION DATASHEET (PMDD) POSTED ON THE CYPRESS WEB																								
B							B																				
C							C																				
D							D																				
THIS DRAWING CONTAINS INFORMATION WHICH IS THE PROPRIETARY PROPERTY OF CYPRESS SEMICONDUCTOR CORPORATION. THIS DRAWING IS RECEIVED IN CONFIDENCE AND ITS CONTENTS MAY NOT BE DISCLOSED WITHOUT WRITTEN CONSENT OF CYPRESS SEMICONDUCTOR CORPORATION.			PACKAGE CODE(S)	LT48C		<table><tr><td colspan="2"> CYPRESS Company Confidential</td></tr><tr><td colspan="2">TITLE PACKAGE OUTLINE, 48L QFN 7X7X1.0 MM LT48C 4.5X4.5 EPAD (SAWN)</td></tr><tr><td>SPEC NO. 001-53698</td><td>REV *C</td></tr><tr><td>SCALED TO FIT</td><td>SHEET 2 OF 2</td></tr></table>	 CYPRESS Company Confidential		TITLE PACKAGE OUTLINE, 48L QFN 7X7X1.0 MM LT48C 4.5X4.5 EPAD (SAWN)		SPEC NO. 001-53698	REV *C	SCALED TO FIT	SHEET 2 OF 2													
 CYPRESS Company Confidential																											
TITLE PACKAGE OUTLINE, 48L QFN 7X7X1.0 MM LT48C 4.5X4.5 EPAD (SAWN)																											
SPEC NO. 001-53698	REV *C																										
SCALED TO FIT	SHEET 2 OF 2																										
	1	2	3	4	5	6																					