

Please note that Cypress is an Infineon Technologies Company.

The document following this cover page is marked as “Cypress” document as this is the company that originally developed the product. Please note that Infineon will continue to offer the product to new and existing customers as part of the Infineon product portfolio.

Continuity of document content

The fact that Infineon offers the following product as part of the Infineon product portfolio does not lead to any changes to this document. Future revisions will occur when appropriate, and any changes will be set out on the document history page.

Continuity of ordering part numbers

Infineon continues to support existing part numbers. Please continue to use the ordering part numbers listed in the datasheet for ordering.



THIS SPEC IS OBSOLETE

Spec No: 001-86809

Spec Title: MIGRATING FROM FM20L08 TO FM28V100 -
AN106

Sunset Owner: Sheela Abraham (SHEA)

Replaced by: 001-86811

Migrating from FM20L08 to FM28V100

How to Create a PCB for Compatibility



DESCRIPTION

The FM20L08 (128Kx8) and FM28V100 (128Kx8) devices are offered in the 32-pin TSOP-I package. The package body size is 8.0 x 13.4 mm and the pin pitch is 0.5 mm. The two devices are not pin compatible with each other, but they are very similar. It is possible to design a pc board such that either device can populate the board.

PCB LAYOUT CONSIDERATIONS

The two parts have slightly different pin assignments. The differences are pins 6 and 9. The FM20L08 has a DNU on pin 6 and /LVL on pin 9. The FM28V100 has CE2 on pin 6 and NC on pin 9. Most designs do not use the /LVL pin (FM20L08). The board may be layed out such that pin 9 is left floating.

Many controllers do not have an active-high CE2 chip enable. Instead, they have an active-low chip enable, which should be connected to pin 30. This is /CE on the FM20L08 and /CE1 on the FM28V100. The functionality of this chip enable is identical on both devices. The FM28V100's active-high CE2 on pin 6 has an internal pullup resistor to V_{DD} , and is intended to be a drop-in replacement. The block diagram shows the connections of interest and Figure 2 shows the 32-pin FM20L08 and FM28V100 pinouts with pin numbers and associated pin names.




Figure 1. Block Diagram Representation of Primary Connections




Figure 2. FM20L08 and FM28V100 Pin Assignments in 32-pin TSOP-I

Document History

Document Title: Migrating from FM20L08 to FM28V100

Document Number: 001-86809

Revision	ECN	Orig. of Change	Submission Date	Description of Change
**	3944550	GVCH	03/26/2013	New Spec
*A	4309039	MEDU	03/14/2014	Obsolete application note; this document is included with AN109

Worldwide Sales and Design Support

Cypress maintains a worldwide network of offices, solution centers, manufacturer's representatives, and distributors. To find the office closest to you, visit us at [Cypress Locations](#).

Products

Automotive	cypress.com/go/automotive
Clocks & Buffers	cypress.com/go/clocks
Interface	cypress.com/go/interface
Lighting & Power Control	cypress.com/go/powerpsoc cypress.com/go/plc
Memory	cypress.com/go/memory
PSoC	cypress.com/go/psoc
Touch Sensing	cypress.com/go/touch
USB Controllers	cypress.com/go/usb
Wireless/RF	cypress.com/go/wireless

PSoC® Solutions

psoc.cypress.com/solutions
PSoC 1 | PSoC 3 | PSoC 5LP

Cypress Developer Community

[Community](#) | [Forums](#) | [Blogs](#) | [Video](#) | [Training](#)

Technical Support

cypress.com/go/support

PSoC is a registered trademark of Cypress Semiconductor Corp. All other trademarks or registered trademarks referenced herein are the property of their respective owners.

	Cypress Semiconductor 198 Champion Court San Jose, CA 95134-1709	Phone : 408-943-2600 Fax : 408-943-4730 Website : www.cypress.com
---	--	--

© Cypress Semiconductor Corporation, 2013-2014. The information contained herein is subject to change without notice. Cypress Semiconductor Corporation assumes no responsibility for the use of any circuitry other than circuitry embodied in a Cypress product. Nor does it convey or imply any license under patent or other rights. Cypress products are not warranted nor intended to be used for medical, life support, life saving, critical control or safety applications, unless pursuant to an express written agreement with Cypress. Furthermore, Cypress does not authorize its products for use as critical components in life-support systems where a malfunction or failure may reasonably be expected to result in significant injury to the user. The inclusion of Cypress products in life-support systems application implies that the manufacturer assumes all risk of such use and in doing so indemnifies Cypress against all charges.

This Source Code (software and/or firmware) is owned by Cypress Semiconductor Corporation (Cypress) and is protected by and subject to worldwide patent protection (United States and foreign), United States copyright laws and international treaty provisions. Cypress hereby grants to licensee a personal, non-exclusive, non-transferable license to copy, use, modify, create derivative works of, and compile the Cypress Source Code and derivative works for the sole purpose of creating custom software and or firmware in support of licensee product to be used only in conjunction with a Cypress integrated circuit as specified in the applicable agreement. Any reproduction, modification, translation, compilation, or representation of this Source Code except as specified above is prohibited without the express written permission of Cypress.

Disclaimer: CYPRESS MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO THIS MATERIAL, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Cypress reserves the right to make changes without further notice to the materials described herein. Cypress does not assume any liability arising out of the application or use of any product or circuit described herein. Cypress does not authorize its products for use as critical components in life-support systems where a malfunction or failure may reasonably be expected to result in significant injury to the user. The inclusion of Cypress' product in a life-support systems application implies that the manufacturer assumes all risk of such use and in doing so indemnifies Cypress against all charges.

Use may be limited by and subject to the applicable Cypress software license agreement.