

Please note that Cypress is an Infineon Technologies Company.

The document following this cover page is marked as “Cypress” document as this is the company that originally developed the product. Please note that Infineon will continue to offer the product to new and existing customers as part of the Infineon product portfolio.

Continuity of document content

The fact that Infineon offers the following product as part of the Infineon product portfolio does not lead to any changes to this document. Future revisions will occur when appropriate, and any changes will be set out on the document history page.

Continuity of ordering part numbers

Infineon continues to support existing part numbers. Please continue to use the ordering part numbers listed in the datasheet for ordering.



THIS SPEC IS OBSOLETE

Spec No: 002-04882

Spec Title: AN204882 - F2MC-FM3 MB9BFXXX WITH
EMBEDDED OS

Replaced by: None

AN204882

F²MC-FM3 MB9BFXXX with Embedded OS

This application note gives overview about available operation systems for Cypress ARM Cortex M3 microcontroller series.

1 Introduction

This application note gives an overview about available operation systems for Cypress ARM Cortex M3 Microcontroller series.

Available Embedded Operation Systems are:

- Avix-RT
- Segger embOS
- Free RTOS
- Keil RTX Real-Time Kernel
- Micrium-μC/OS-II/OS-III Kernel

Overview:

Feature	Avix	Segger embOS	Free RTOS	Keil RTX	Micrium-μC
Free of charge	No, Demo only	No, Demo only	Yes	Yes	No, Demo only
Example	Starter kits: SK-FM3-100PMC IAR KSK- MB9BF506 Environment: IAR Keil	Starter kits: SK-FM3-100PMC IAR KSK- MB9BF506 Environment: IAR	Starter kit: SK-FM3- 100PMC SK-FM3-64PMC Environment: IAR Keil	Environment : Keil	Starter kits: IAR KSK- MB9BF506 Environment: IAR
Real time Debugging	Yes	Yes	No	Yes	Additional
ROM Usage (min. Example)	6 Kbytes	8 Kbytes	7,5 Kbytes	5 Kbytes	6 Kbytes

2 Detailed Description

2.1 Avix-RT

2.1.1 Features

- Hybrid RTOS - Segmented Architecture
- Fast and small footprint
- True Zero Latency Interrupt Support
- Without ever disabling interrupts
- Hard Real Time and Real Time Tracing Facility
- Energy Saving Capabilities supporting Low-Power-Modes of the MCU
- Fully CMSIS based

2.1.2 Real time debugging

- AVIX RTOS Viewer
- Plug-In for Keil μ Vision
- Needs μ Vision 4.12 or newer

2.1.3 Documentation:

Very good tutorial with OS example using: Pipes, Semaphores, etc.

2.1.4 Software Examples

Two examples for SK-FM3-100PMC

2.1.5 Versions

- Demo (30min run time)
- Basic
- Standard
- Extended

2.1.6 Website

<http://www.avix-rt.com>

2.2 Segger Emboss

2.2.1 Features

- Zero interrupt latency time
- Nested interrupts are permitted
- High-performance RTOS
- Minimum memory consumption in both RAM/ROM
- Real time kernel viewer (embOSView) included
- Core written in assembly language
- All API functions can be called from C /C++/assembly
- Compatible with IAR

2.2.2 Real time debugging

- JTAG support (J-Link) for Real time OS debugging
- Compatible with IAR 5.x and 6.x

- CPU Load
- Memory Usage
- Run Count
- Time Slice

2.2.3 Software Examples

Examples for SK-FM3-100PMC and IAR KSK-MB9BF506.

2.2.4 Website

<http://www.segger.com/cms/embos.html>

2.3 FreeRTOS

2.3.1 Features

- Open source
- Royalty free
- Mini Real Time Kernel
- Supports commercial applications
- Pre-configured example applications available
- Support is provided by an active user community

2.3.2 Software Examples

Examples for SK-FM3-100PMC and SK-FM3-64PMC.

2.3.3 Website

<http://www.freertos.org/>

2.4 Keil RTX Real-Time Kernel

2.4.1 Features

- Royalty-free, deterministic RTOS with source code
- Specifically designed for ARM and Cortex-M CPUs
- Flexible scheduling: round-robin, pre-emptive, and collaborative
- High-Speed real-time operation with low interrupt latency
- Small footprint for resource constrained systems
- Unlimited number of tasks each with 255 priority levels
- Unlimited number of mailboxes, semaphores, mutex, and timers
- Support for multithreading and thread-safe operation
- Kernel aware debug support in MDK-ARM
- Dialog-based setup using μ Vision Configuration Wizard

2.4.2 Realtime debugging

- Integrated in μ Vision

2.4.3 Software Examples

- Blinky

2.4.4 Website

<http://www.keil.com/arm/rl-arm/kernel.asp>

2.5 Micrium μ C/IS-II/OS-III Kernel

2.5.1 Features

- Large number of supported processor architectures
- Scalable size
- Sufficiently robust to meet rigorous safety-critical system requirements
- Complete ANSI C source code is available for a 30-day trial use

2.5.2 Real time debugging

- μ C/Probe

2.5.3 Software Examples

Example for IAR KSK-MB9BF506.

2.5.4 Website

<http://www.micrium.com/page/products/rtos/os-ii>

3 Document History

Document Title: AN204882 - F²MC-FM3 MB9BFXXX with Embedded OS

Document Number: 002-04882

Revision	ECN	Orig. of Change	Submission Date	Description of Change
**	-	MSCH	10/06/2011	Initial Release
*A	5053159	MSCH	12/16/2015	Migrated Spansion Application Note from MCU-AN-300405-E-V10 to Cypress format
*B	5572974	WOFR	01/03/2017	Spec obsoleted – no further updates planned

Worldwide Sales and Design Support

Cypress maintains a worldwide network of offices, solution centers, manufacturer's representatives, and distributors. To find the office closest to you, visit us at [Cypress Locations](#).

Products

Automotive	cypress.com/go/automotive
Clocks & Buffers	cypress.com/go/clocks
Interface	cypress.com/go/interface
Lighting & Power Control	cypress.com/go/powerpsoc
Memory	cypress.com/go/memory
PSoC	cypress.com/go/psoc
Touch Sensing	cypress.com/go/touch
USB Controllers	cypress.com/go/usb
Wireless/Rf	cypress.com/go/wireless
Spansion Products	spansion.com/products

PSoC® Solutions

psoc.cypress.com/solutions

[PSoC 1](#) | [PSoC 3](#) | [PSoC 4](#) | [PSoC 5LP](#)

Cypress Developer Community

[Community](#) | [Forums](#) | [Blogs](#) | [Video](#) | [Training](#)

Technical Support

cypress.com/go/support

All other trademarks or registered trademarks referenced herein are the property of their respective owners.



Cypress Semiconductor
198 Champion Court
San Jose, CA 95134-1709
Phone : 408-943-2600
Fax : 408-943-4730
Website : www.cypress.com

© Cypress Semiconductor Corporation, 2011-2016. The information contained herein is subject to change without notice. Cypress Semiconductor Corporation assumes no responsibility for the use of any circuitry other than circuitry embodied in a Cypress product. Nor does it convey or imply any license under patent or other rights. Cypress products are not warranted nor intended to be used for medical, life support, life saving, critical control or safety applications, unless pursuant to an express written agreement with Cypress. Furthermore, Cypress does not authorize its products for use as critical components in life-support systems where a malfunction or failure may reasonably be expected to result in significant injury to the user. The inclusion of Cypress products in life-support systems application implies that the manufacturer assumes all risk of such use and in doing so indemnifies Cypress against all charges.

This Source Code (software and/or firmware) is owned by Cypress Semiconductor Corporation (Cypress) and is protected by and subject to worldwide patent protection (United States and foreign), United States copyright laws and international treaty provisions. Cypress hereby grants to licensee a personal, non-exclusive, non-transferable license to copy, use, modify, create derivative works of, and compile the Cypress Source Code and derivative works for the sole purpose of creating custom software and or firmware in support of licensee product to be used only in conjunction with a Cypress integrated circuit as specified in the applicable agreement. Any reproduction, modification, translation, compilation, or representation of this Source Code except as specified above is prohibited without the express written permission of Cypress.

Disclaimer: CYPRESS MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO THIS MATERIAL, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Cypress reserves the right to make changes without further notice to the materials described herein. Cypress does not assume any liability arising out of the application or use of any product or circuit described herein. Cypress does not authorize its products for use as critical components in life-support systems where a malfunction or failure may reasonably be expected to result in significant injury to the user. The inclusion of Cypress' product in a life-support systems application implies that the manufacturer assumes all risk of such use and in doing so indemnifies Cypress against all charges.

Use may be limited by and subject to the applicable Cypress software license agreement.