

**Please note that Cypress is an Infineon Technologies Company.**

The document following this cover page is marked as “Cypress” document as this is the company that originally developed the product. Please note that Infineon will continue to offer the product to new and existing customers as part of the Infineon product portfolio.


**Continuity of document content**

The fact that Infineon offers the following product as part of the Infineon product portfolio does not lead to any changes to this document. Future revisions will occur when appropriate, and any changes will be set out on the document history page.

**Continuity of ordering part numbers**

Infineon continues to support existing part numbers. Please continue to use the ordering part numbers listed in the datasheet for ordering.

REVISIONS						
PAGE	ZONE	REV	ECN	DESCRIPTION	DATE	APPROVED
1	—	**	208023	NEW RELEASE	03/02/04	
1	—	*A	292852	Increase the character height of Ko (1.25)and corner relief part (0.40) of carrier tape.	11/28/04	
1	—	*B	3364965	Transferred to correct drawing template.	09/07/11	
1	—	*C	4553598	SUNSET REVIEW. NO CHANGE.	10/28/14	QAD/UYO



# NOTES:


- MEASURED FROM THE CENTERLINE OF SPROCKET HOLE TO CENTERLINE OF THE POCKET HOLE AND FROM THE CENTERLINE OF SPROCKET HOLE TO CENTERLINE OF THE POCKET HOLE
- CUMULATIVE TOLERANCE OF 10 SPROCKET HOLES IS  $\pm 0.20$
- THIS THICKNESS IS APPLICABLE AS MEASURED AT THE EDGE OF THE TAPE
- MATERIAL: CONDUCTIVE POLYSTYRENE
- DIM IN MM
- ALLOWABLE CAMBER TO BE 1mm PER 100mm IN LENGTH, NON-CUMULATIVE OVER 250mm
- UNLESS OTHERWISE SPECIFIED, TOLERANCE  $\pm 0.10$
- MEASUREMENT POINT TO BE 0.3 FROM BOTTOM POCKET .
- SURFACE RESISTIVITY LESS THAN OR EQUAL TO  $1.0 \times 10^9$  OHMS/SQ.

$$A_o = 4.30 \pm 0.10$$

$$B_o = 4.30 \pm 0.10$$

$$K_o = 1.25 \pm 0.10$$

THIS DRAWING CONTAINS INFORMATION WHICH IS THE PROPRIETARY PROPERTY OF CYPRESS SEMICONDUCTOR CORPORATION. THIS DRAWING IS RECEIVED IN CONFIDENCE AND ITS CONTENTS MAY NOT BE DISCLOSED WITHOUT WRITTEN CONSENT OF CYPRESS SEMICONDUCTOR CORPORATION.

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN MILLIMETERS STANDARD TOLERANCES ON:		DESIGNED BY	DATE	 <b>CYPRESS</b> Company Confidential	
DECIMALS		DRAWN BY	DATE		
.X ±	X ±	CNN	09/07/11		
.XX ±	XX ±	CHECKED BY	DATE		
.XXX ±		FMN	09/07/11	<b>TITLE</b> CARRIER TAPE, QFN 4 X 4 MM	
		APPROVED BY	DATE		
		QAD	10/28/14	<b>SIZE</b> A	
		APPROVED BY	DATE		
		UYO	10/28/14	<b>PART NO.</b> LF20CT	
		APPROVED BY	DATE		
				<b>DWG NO</b> 51-52119	
				<b>ENG'G REV</b>	
				<b>SHEET 1</b> OF 1	