



## Release Notes

### CY3236A-PIRMOTION Pyroelectric Infrared Motion Detection Evaluation Kit (EVK)

Release Date: September 19, 2011

Thank you for your interest in the CY3236A-PIRMOTION EVK. This document lists installation requirements and describes software updates and changes.

#### System Requirements and Recommendations

Hardware/Operating System Requirements	Minimum	Recommended
Processor speed	1 GHz	2 GHz
RAM	1 GB	2 GB
Free hard drive space	600 MB	1 GB
Screen resolution	1024x768	1280x1024
CD/DVD drive	✓	✓
USB	Full Speed	2.0 Hi-Speed
Windows XP (SP2 or higher), Vista, or Windows 7	✓	✓
Software Prerequisites	Minimum	Recommended
Microsoft Internet Explorer	7	
Adobe Reader (for PDFDocumentation)	6	9+
Windows Installer	3.1	
.NET Framework	2.0 SP1	
PSoC Programmer	3.12	Latest*
PSoC Designer	5.1	Latest*

#### Updates

Check <http://www.cypress.com/go/cy3236> for the latest downloads of software, code examples, and documentation.

#### Installation

To install, insert the kit CD/DVD into your PC's DVD-ROM drive. If the installer does not start automatically, run *cyautorun.exe* in the root directory of the CD/DVD. Follow the installation instructions.

#### Kit Revision (\*B)

In Revision \*B, the code example is updated to support the latest version of PSoC Designer. The User Guide and Quick Start Guide have been updated to match the new software release.



## Documentation

After Installation kit documents are located in the \Documentation folder in the default install location:

<Install\_Directory>:\Cypress\CY3236A-PIRMOTION\<version>\Documentation.

The documents are PDF files that require a PDF viewer such as Adobe Reader.

Documents include, but are not limited to:

- *CY3236A-PIRMOTION User Guide.pdf*
- *CY3236A-PIRMOTION Quick Start Guide.pdf*
- *CY3236A-PIRMOTION Release Notes.pdf*
- *PIR325\_datasheet.pdf* – Data sheet for the PIR sensor used in this kit.
- *RPM-075PT\_datasheet.pdf* – Data sheet for the phototransistor used in this kit.

## Silicon Errata

The latest versions of the silicon errata are available at <http://www.cypress.com/go/psocerratas>. Navigate and locate the document for CY8C27xxx.

## Technical Support

For assistance, go to <http://www.cypress.com/go/support> or contact our customer support at +1(800) 541-4736 Ext. 8 (in the USA), or +1 (408) 943-2600 Ext. 8 (International).



Cypress Semiconductor  
198 Champion Ct.  
San Jose, CA 95134-1709 USA  
Tel: 408.943.2600  
Fax: 408.943.4730  
Application Support Hotline: 425.787.4814  
[www.cypress.com](http://www.cypress.com)

© Cypress Semiconductor Corporation, 2011. The information contained herein is subject to change without notice. Cypress Semiconductor Corporation assumes no responsibility for the use of any circuitry other than circuitry embodied in a Cypress product. Nor does it convey or imply any license under patent or other rights. Cypress products are not warranted nor intended to be used for medical, life support, life saving, critical control or safety applications, unless pursuant to an express written agreement with Cypress. Furthermore, Cypress does not authorize its products for use as critical components in life-support systems where a malfunction or failure may reasonably be expected to result in significant injury to the user. The inclusion of Cypress products in life-support systems application implies that the manufacturer assumes all risk of such use and in doing so indemnifies Cypress against all charges.

PSoC® is a registered trademark of Cypress Semiconductor Corp. All other trademarks or registered trademarks referenced herein are property of the respective corporations.

This Source Code (software and/or firmware) is owned by Cypress Semiconductor Corporation (Cypress) and is protected by and subject to worldwide patent protection (United States and foreign), United States copyright laws and international treaty provisions. Cypress hereby grants to licensee a personal, non-exclusive, non-transferable license to copy, use, modify, create derivative works of, and compile the Cypress Source Code and derivative works for the sole purpose of creating custom software and or firmware in support of licensee product to be used only in conjunction with a Cypress integrated circuit as specified in the applicable agreement. Any reproduction, modification, translation, compilation, or representation of this Source Code except as specified above is prohibited without the express written permission of Cypress.

Disclaimer: CYPRESS MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO THIS MATERIAL, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Cypress reserves the right to make changes without further notice to the materials described herein. Cypress does not assume any liability arising out of the application or use of any product or circuit described herein. Cypress does not authorize its products for use as critical components in life-support systems where a malfunction or failure may reasonably be expected to result in significant injury to the user. The inclusion of Cypress' product in a life-support systems application implies that the manufacturer assumes all risk of such use and in doing so indemnifies Cypress against all charges.

Use may be limited by and subject to the applicable Cypress software license agreement.