

SLI 97CNFX1M00PE

32-bit Security Controller
Optimized for automotive M2M applications

1 MByte SOLID FLASH™
32 kByte RAM
ISO7816, SWP

Short Product Overview

Version 1.1, 2014-10



Revision History	
SLI 97CNFX1M00PE Short Product Overview	
Current Version	Version 1.1
Previous Version	Version 1.0

Important: Further information is confidential and on request. Please contact:
Infineon Technologies AG in Munich, Germany,
Chip Card & Security
E-Mail: security.chipcard.ics@infineon.com

Edition 2014-10

Published by
Infineon Technologies AG
81726 Munich, Germany
© 2014 Infineon Technologies AG
All Rights Reserved.

Legal Disclaimer

The information given in this document shall in no event be regarded as a guarantee of conditions or characteristics. With respect to any examples or hints given herein, any typical values stated herein and/or any information regarding the application of the device, Infineon Technologies hereby disclaims any and all warranties and liabilities of any kind, including without limitation, warranties of non-infringement of intellectual property rights of any third party.

Information


For further information on technology, delivery terms and conditions and prices, please contact the nearest Infineon Technologies Office (www.infineon.com).

SOLID FLASH™: Infineon trademark which stands for security controller using dedicated Flash/EEPROM technologies.

Warnings

Due to technical requirements, components may contain dangerous substances. For information on the types in question, please contact the nearest Infineon Technologies Office.

Infineon Technologies components may be used in life-support devices or systems only with the express written approval of Infineon Technologies, if a failure of such components can reasonably be expected to cause the failure of that life-support device or system or to affect the safety or effectiveness of that device or system. Life support devices or systems are intended to be implanted in the human body or to support and/or maintain and sustain and/or protect human life. If they fail, it is reasonable to assume that the health of the user or other persons may be endangered.

Sales Name	SLI 97CNFX1M00PE  SOLID FLASH™
Product Description	Security controller optimized for automotive M2M applications
Interfaces	ISO 7816, SWP
NVM	1 MByte SOLID FLASH™
RAM	32 kByte
CPU	32-bit
Symetrical Cryptography	3DES, AES up to 256-bit
Asymetrical Cryptography	RSA up to 4096-bit, ECC up to 521-bit
Ambient Temperature	-40 to +105°C
Delivery Forms	MFF2
Typical Applications	Automotive M2M
Certification Level	CC EAL5+ High

For further information on technology, delivery forms and conditions please contact your nearest Infineon Technologies sales representative (www.infineon.com).

Infineon Technologies – innovative semiconductor solutions for energy efficiency, mobility and security.

