

New to ModusToolbox™ software?


This document provides a quick explanation about ModusToolbox™ software and how to use it.

What is ModusToolbox™ software?

The phrase ModusToolbox™ software refers to a collection of GUI and non-GUI tools, programs, libraries, code examples, and board support packages (BSPs) used to develop embedded applications for supported Infineon MCUs.

The ModusToolbox™ Setup program is the primary vehicle to install and update desktop tools such as the base tools package, programming tools, IDEs, plus various packs for security, machine learning, sensing and more.

As you create and develop your applications, the desktop software tools download the required run-time software assets from GitHub to provide the required libraries, code examples, and BSPs.



Software and tools in a ModusToolbox™ application:

This ecosystem of tools and run-time software enables efficient development from the foundational BSP and device support through the user application with available middleware libraries and reference code example projects. The following shows the various run-time software components layered by type, with the associated tools used in application development.

Applications				Tools
Code Examples		Reference Designs		IDE support
Middleware				Asset management tools
Human-Machine Interface	Graphics	Connectivity	Security	Git/Make/Build System
Voice / Audio	Machine Learning	Wi-Fi	Bluetooth®	Programming tools
BSPs				BSP Configurators/tuners
Microcontrollers	Power Delivery (Charging)	Wi-Fi	Bluetooth®	Library configurators/tuners
DSLs/Drivers				Edge Protect tools
Middleware Portability APIs	Peripheral Driver Library (PDL)	CMSIS	Build support	AIROC™ tools

What is ModusToolbox™ software?

Key desktop tools used in the ModusToolbox™ development:

Setup – provides the vehicle to install and update the tools, packs, and packages available in the ecosystem.

Dashboard – provides a central getting starting point for ModusToolbox™ software, as well as quick access to documentation, videos, training material, and launch actions to create a new application.

Project Creator – provides quick access to reference code examples on GitHub and facilitates creating IDE-specific applications through an easy-to-use interface.

BSP Assistant – provides a GUI-based tool for developing a board support package (BSP) for Infineon kits and custom hardware. BSPs can be derived from an existing BSP or developed from scratch based on a silicon device part number.

BSP Level Configuration – BSP and device configurators are used to generate initialization structures for clocks, pins, and peripherals. Examples of BSP Level Configurators include Device Configurator, Smart I/O Configurator, and QSPI Configurator.

Library Manager – provides a user interface for managing middleware libraries and BSPs within an application. Middleware with available updates are indicated within the tool and users have full control over the version to be used in the project. The Library Manger is also able to resolve any middleware dependencies to ensure that the included middleware is ready to be used.

IDE – ModusToolbox™ software supports several industry-standard IDEs:

- Eclipse-based IDE (available within the ModusToolbox™ Setup program)
- Microsoft Visual Studio Code
- IAR Embedded Workbench
- Arm Microcontroller Developers Kit (μVision)


Library Level Configuration – library configurators are used to change the behavior of the supported middleware and generate configuration data for the library APIs. Examples of Library Level Configurators include Machine Learning, CAPSENSE™, and Bluetooth®.

How do I develop embedded applications with ModusToolbox™ software?

How do I develop embedded applications with ModusToolbox™ software?

ModusToolbox™ software is a flexible and comprehensive development environment aimed at enabling iterative development and facilitating an efficient Edit-Compile-Debug cycle.

ModusToolbox™ Overview Infographic



As depicted in the illustration, ModusToolbox™ software provides a number of desktop applications and tools centered around the typical “Edit-Compile-Debug” cycle.

1 Tools like **BSP Assistant** and **Project Creator** are used during the initial creation of an application, generating the necessary IDE-specific project files and workspace structure. These tools can be used standalone by launching them directly from the computer’s menu system. Additionally, they can be accessed from the **Dashboard** or within the Quick Panel of the **Eclipse IDE for ModusToolbox™**.

With an application created, it can now be used within the respective IDE.

There are IDE specific instructions provided within the documentation and output dialog in the **Project Creator**. Following these steps will guide you through getting the application into your **IDE**. When creating an application through the Quick Panel of the **Eclipse IDE**, these steps will be handled automatically. For **IAR Embedded Workbench** and **Arm MDK μVision**, these are specific steps to that align with the how these IDEs handle externally generated project files.

2 As part of the initial development, the **BSP Level Configurators** and **Library Manager** can be used to modify the device settings initially provided by the BSP or to add additional software libraries as needed for you application. These tools can be used through the development process anytime changes or additional middleware is required.

How do I install the latest ModusToolbox™?

The majority of the application development effort occurs within the “Edit-Compile-Debug” cycle.

- 3 This is typically done within the selected **IDE**, but ModusToolbox™ also enables compiling and programming directly from command-line. An **IDE** provides an integrated development environment with built-in code editor, programming capabilities, and debug control. ModusToolbox™ includes support for SEGGER J-Link and Infineon KitProg3/MiniProg4 debuggers. As middleware is integrated into your application the **Library Level Configuration** tools can be used to configure the supported middleware configurations and help to visualize how the middleware is functioning at run-time with available tuners.

How do I install the latest ModusToolbox™?

- For new users:
 - Reference the [ModusToolbox™ Installation Guide](#).
 - Download and install the ModusToolbox™ Setup program.
 - Select a default installation of the latest available version or use the custom option to install specific versions or additional packages.
- For existing user:
 - Re-launch the previously installed ModusToolbox™ Setup program.
 - Updated releases are indicated and can be updated by selecting the specific version of the ModusToolbox™ Tools Package.

How do I get started?

- Create an application using the Project Creator tool.
 - Select a board support package (BSP).
 - Select a template application from a code example.
 - Optionally specify a target IDE, such as Eclipse, VS Code, Embedded Workbench, or MDK (µVision).

What do I do next?

- Update the BSP to use a different MCU and/or companion device.
- Modify the BSP initialization code to align the application to your design.
- Add middleware libraries to the application workspace and reference the included READMEs for any additional integration steps.
- Start Developing:
 - Edit the application code using the IDE editor and modify middleware configurations using Library configurators as needed.
 - Compile the application using the IDE build/compile functionality or leverage the command-line ‘make’ functions. Makefiles within the application can be used to control the build process.
 - Debug the application using one of the supported debug probes, stepping through the application with the IDE’s debug controls and using the library level configuration tuners to visualize the running middleware. Simultaneous debugging is supported for multicore device projects.

Where can I learn more?

Where can I learn more?

Infineon provides training, videos, documentation, and community pages:

- [Training material](#)
- [Videos](#)
- [Documentation](#)
- [Community pages](#)

Revision history

Revision history

Revision	Date	Description
**	2023-05-12	New document
*A	2025-10-20	Updates to include the Setup program and updated images.

Trademarks

All referenced product or service names and trademarks are the property of their respective owners.

Edition 2025-10-20

Published by

Infineon Technologies AG

81726 Munich, Germany

© 2025 Infineon Technologies AG.

All Rights Reserved.

Do you have a question about this document?

Email: erratum@infineon.com

Document reference

002-37727 Rev. *A

IMPORTANT NOTICE

The information given in this document shall in no event be regarded as a guarantee of conditions or characteristics ("Beschaffheitsgarantie").

With respect to any examples, hints or any typical values stated herein and/or any information regarding the application of the product, Infineon Technologies hereby disclaims any and all warranties and liabilities of any kind, including without limitation warranties of non-infringement of intellectual property rights of any third party.

In addition, any information given in this document is subject to customer's compliance with its obligations stated in this document and any applicable legal requirements, norms and standards concerning customer's products and any use of the product of Infineon Technologies in customer's applications.

The data contained in this document is exclusively intended for technically trained staff. It is the responsibility of customer's technical departments to evaluate the suitability of the product for the intended application and the completeness of the product information given in this document with respect to such application.

For further information on the product, technology, delivery terms and conditions and prices please contact your nearest Infineon Technologies office (www.infineon.com).

WARNINGS

Due to technical requirements products may contain dangerous substances. For information on the types in question please contact your nearest Infineon Technologies office.

Except as otherwise explicitly approved by Infineon Technologies in a written document signed by authorized representatives of Infineon Technologies, Infineon Technologies' products may not be used in any applications where a failure of the product or any consequences of the use thereof can reasonably be expected to result in personal injury.